

PART NUMBER	WHEEL SIZE (Dia. x Tread x Bore)	Wheel Diameter (INCH)	Wheel Tread (INCH)	Wheel Bore (INCH)	DESCRIPTION	BORE SIZE	HUB SIZE (INCH)	LOAD RATE (lbs)	PIECES PER CARTON
1252 LD	2 x 3/4 x 1/4	2	3/4	1/4	Light Duty	.255 - .270	.907 - .919	75	700
1252 HD	2 x 1 x 1/4	2	1	1/4	Heavy Duty	.255 - .270	1.027-1.039	200	630
1250-1	2 1/2 x 1 1/8 x 5/16	2-1/2	1-1/8	5/16		.315 - .330	1.189-1.201	150	325
1250-2	2 1/2 x 1 1/8 x 3/8	2-1/2	1-1/8	3/8		.380 - .395	1.189-1.201	150	325
1250-3	2 1/2 x 1 1/8 x 1/2	2-1/2	1-1/8	1/2		.505 - .520	1.189-1.201	150	325
1250-4	2 1/2 x 1 1/8 x 5/16 SB	2 1/2	1 1/8	5/16	With Steel Bushing	.315 - .330	1.189-1.201	150	325
2782-2	2 7/8 x 2 7/8 x 1/2	2-7/8	2-7/8	1/2		.505 - .520	2.896-2.908	350	105
2782-3	2 7/8 x 2 7/8 x 5/8	2-7/8	2-7/8	5/8		.630 - .645	2.896-2.908	350	105
3784-1	3 x 7/8 x 1/4	3	7/8	1/4		.255 - .270	0.921-0.933	100	250
3784-2	3 x 7/8 x 3/8	3	7/8	3/8		.380 - .395	0.921-0.933	100	250
3784-3	3 x 7/8 x 1/2	3	7/8	1/2		.505 - .520	0.921-0.933	100	250
3784-4	3 x 7/8 x 5/16	3	7/8	5/16		.315 - .330	0.921-0.933	100	250
3118-1	3 x 1 1/8 x 5/16	3	1-1/8	5/16		.315 - .330	1.229-1.241	150	200
3113-1	3 x 1 13/16 x 5/8	3	1-13/16	5/8		.630 - .645	1.986-1.998	500	150
3113-2	3 x 1 13/16 x 7/16	3	1-13/16	7/16		.443 - .460	1.986-1.998	500	150
3113-3	3 x 1 13/16 x 1/2	3	1-13/16	1/2		.505 - .520	1.986-1.998	500	150
3113-6	3 x 1 13/16 x 1-3/16	3	1-13/16	3/16	Roller Bearing Bore Wheel	1.178 - 1.195	1.986-1.998	500	150
3114-1	3 x 1 1/4 x 3/8	3	1-1/4	3/8		.380 - .395	1.541-1.553	300	200
3114-2	3 x 1 1/4 x 1/2	3	1-1/4	1/2		.505 - .520	1.541-1.553	300	200
3114-3	3 x 1 1/4 x 5/16	3	1-1/4	5/16		.315 - .330	1.541-1.553	300	200
4118-1	4 x 1 x 5/16	4	1	5/16		.315 - .330	1.179-1.191	125	150
4118-2	4 x 1 1/8 x 5/16	4	1-1/8	5/16		.315 - .330	1.225-1.237	175	140
4114-1	4 x 1 1/4 x 3/8	4	1-1/4	3/8		.380 - .395	1.560-1.572	350	110

4114-2	4 x 1 1/4 x 1/2	4	1-1/4	1/2		.505 - .520	1.560-1.572	350	110
46245	4 x 1 1/2 x 1/2 HD	4	1-1/2	1/2 HD	Anti-Scalp Wheel	.505 - .520	1.505-1.517	400	105
5613-1	5 x 1 3/8 x 1/2	5	1-3/8	1/2		.505 - .520	1.451-1.463	400	72
5613-2	5 x 1 3/8 x 1/2 SB	5	1-3/8	1/2 SB	Steel Bushing Wheel	.505 - .520	1.451-1.463	400	72
5112-1	5 x 1 x 5/16	5	1	5/16		.315 - .330	1.149-1.161	145	96
5112-2	5 x 1 x 7/16	5	1	7/16		.443 - .460	1.149-1.161	145	96
5112-3	5 x 1 1/16 x 5/16	5	1-1/16	5/16		.315 - .330	1.234-1.246	145	96
5112-4	5 x 1 1/4 x 3/8	5	1-1/4	3/8		.380 - .395	1.517-1.529	400	72
5112-5	5 x 1 1/4 x 5/16	5	1-1/4	5/16		.315 - .330	1.517-1.529	400	72
5112-6	5 x 1 1/4 x 1/2	5	1-1/4	1/2		.505 - .520	1.517-1.529	400	72
5112-7	5 x 1 1/4 x 5/8	5	1-1/4	5/8		.630 - .645	1.517-1.529	400	72
5112-8	5 x 1 1/2 x 1/2	5	1-1/2	1/2		.505 - .520	1.574-1.586	450	72
5112-9	5 x 1 1/2 x 5/8	5	1-1/2	5/8		.630 - .645	1.574-1.586	450	72
5220-1	5 x 2 x 3/4	5	2	3/4		.755 - .770	2.190-2.202	750	48
5220-2	5 x 2 x 5/8	5	2	5/8		.630 - .645	2.190-2.202	750	48
5220-3	5 x 2 x 1 3/16	5	2	3/16	Roller Bearing Bore Wheel	1.178 - 1.195	2.190-2.202	750	48
5220-6	5 x 2 x 1/2	5	2	1/2		.505 - .520	2.190-2.202	750	48
52HD	5 x 2 x 1/2 OSH	5	2	1/2 OSH	Off Set Hub Heavy Duty Anti-Scalp Wheel	.510 - .550	1.570-1.582	200	56
53HD-01	5 x 3 x 1/2 OSH	5	3	1/2 OSH	Off Set Hub Heavy Duty Anti-Scalp Wheel	.510 - .550	2.512-2.524	800	40
53HD-02	5 x 3 x 5/8 OSH	5	3	5/8 OSH	Off Set Hub Heavy Duty Anti-Scalp Wheel	.630 - .645	2.512-2.524	800	40
53HD-04	5 x 3 x 5/8 OSH	5	3	5/8 OSH	Off Set Hub Heavy Duty Anti-Scalp Wheel	.630 - .645	2.498-2.510	800	40
53CTH-01	5 x 3 x 1/2 CTH	5	3	1/2 CTH	Centered Hub Heavy Duty Anti-Scalp Wheel	.510 - .550	3.280-3.292	800	32
53CTH-02	5 x 3 x 5/8 CTH	5	3	5/8 CTH	Centered Hub Heavy Duty Anti-Scalp Wheel	.630 - .645	3.280-3.292	800	32
6138-1	6 x 1 3/8 x 1/2	6	1-3/8	1/2		.505 - .520	1.450-1.462	50	50

6138-2	6 x 1 3/8 x 1/2 SB	6	1-3/8	1/2 SB	Steel Bushing Wheel	.505 - .520	1.450-1.462	50	50
6151-1	6 x 1 1/2 x 5/8	6	1-1/2	5/8	Centered Hub Wheel	.630 - .645	1.732-1.744	500	40
6151-2	6 x 1 1/2 x 3/4	6	1-1/2	3/4	Centered Hub Wheel	.755 - .770	1.732-1.744	500	40
6245-1	6 x 2 x 1/2 LH	6	2	1/2 LH	Long Hub (LH)	.505 - .520	2.400-2.412	650	34
6245-2	6 x 2 x 3/4 LH	6	2	3/4 LH	Long Hub (LH)	.755 - .770	2.400-2.412	650	34
6245-4	6 x 2 x 1 3/16 LH	6	2	1-3/16	Roller Bearing Bore Wheel Long Hub (LH)	1.178 - 1.195	2.400-2.412	650	34
6245-1A	6 x 2 x 1/2 SH	6	2	1/2 SH	Short Hub (SH)	.505 - .520	2.149-2.161	650	34
6245-2A	6 x 2 x 3/4 SH	6	2	3/4 SH	Short Hub (SH)	.755 - .770	2.149-2.161	650	34
6245-3	6 x 2 x 5/8 SH	6	2	5/8 SH	Short Hub (SH)	.630 - .645	2.149-2.161	650	34
6245-4A	6 x 2 x 1 3/16 SH	6	2	1-3/16 SH	Roller Bearing Bore Wheel Short Hub (SH)	1.178 - 1.195	2.149-2.161	650	34
6245-5	6 X 2 X 3/4 RB LH	6	2	3/4 LH	Long Hub (LH) With Roller Bearing	.755 - .770	2.400-2.412	650	34
6245-5A	6 x 2 x 3/4 RB SH	6	2	3/4 SH	Short Hub (SH) With Roller Bearing	.755 - .770	2.149-2.161	650	34
6245-6	6 x 2 x 5/8 RB LH	6	2	5/8 LH	Long Hub (LH) With Roller Bearing	.630 - .645	2.400-2.412	650	34
6245-6A	6 X 2 X 5/8 RB SH	6	2	5/8 SH	Short Hub (SH) With Roller Bearing	.630 - .645	2.149-2.161	650	34
62HD-1	6 x 2 x 1/2 HD	6	2	1/2 HD	Heavy Duty	.505 - .520	2.185-2.197	1,000	34
62HD-3	6 x 2 x 3/4 HD	6	2	3/4 HD	Heavy Duty	.755 - .770	2.185-2.197	1,000	34
62HD-4	6 x 2 x 1 3/16 HD	6	2	1-3/16 HD	Roller Bearing Bore Wheel Heavy Duty	1.178 - 1.195	2.185-2.197	1,000	34
82SD-1	8 x 2 x 3/4 CTH	8	2	3/4 CTH	Solid Wheels with Centered Hub (CTH)	.755 - .770	2.179-2.191	900	17
82SD-2	8 x 2 x 5/8 CTH	8	2	5/8 CTH	Solid Wheels with Centered Hub (CTH)	.630 - .645	2.179-2.191	900	17
82SD-3	8 x 2 x 1 3/16 CTH	8	2	1-3/16 CTH	Solid Centered Hub Roller Bearing Bore	1.178 - 1.195	2.179-2.191	900	17
82SD-4	8 X 2 X 3/4 RB CTH	8	2	3/4 RB	Centered Hub With Roller Bearing	.755 - .770	2.179-2.191	900	17
82SD-5	8 x 2 x 5/8 RB CTH	8	2	5/8 RB CTH	Centered Hub With Roller Bearing	.630 - .645	2.179-2.191	900	17
82SK-1	8 x 2 x 3/4 CTH	8	2	3/4 CTH	Spoke Centered Hub Wheel	.755 - .770	2.164-2.176	350	17
82SK-2	8 x 2 x 5/8 CTH	8	2	5/8 CTH	Spoke Centered Hub Wheel	.630 - .645	2.164-2.176	350	17

82SK-3	8 x 2 x 3/4 OSH	8	2	3/4 OSH	Spoke Off Set Hub Wheel	.755 - .770	2.189-2.201	350	17
82SK-4	8 x 2 x 5/8 OSH	8	2	5/8 OSH	Spoke Off Set Hub Wheel	.630 - .645	2.189-2.201	350	17
82SK-5	8 x 2 x 1/2 OSH	8	2	1/2 OSH	Spoke Off Set Hub Wheel	.505 - .520	2.189-2.201	350	17
82SK-6	8 x 2 x 1/2 CTH	8	2	1/2 CTH	Spoke Centered Hub Wheel	.505 - .520	2.164-2.176	350	17
10SD-1	10 x 2 1/4 x 7/8 OSH	10	2-1/4	7/8 OSH	Solid Off Set Hub Wheel	.880 - .895	2.184-2.196	1,000	12
10SD-2	10 x 2 1/4 x 3/4 OSH	10	2-1/4	3/4 OSH	Solid Off Set Hub Wheel	.755 - .770	2.184-2.196	1,000	12
10SD-3	10 x 2 1/4 x 5/8 OSH	10	2-1/4	5/8 OSH	Solid Off Set Hub Wheel	.630 - .645	2.184-2.196	1,000	12
10SD-4	10 x 2 1/4 x 1 1/64 OSH	10	2-1/4	1-1/64 OSH	Solid Off Set Hub Wheel	1.005 - 1.025	2.184-2.196	1,000	12
10SD-5	10 x 2 1/4 x 1 3/16 OSH	10	2-1/4	1-3/16 OSH	Solid Off Set Hub Roller Bearing Bore Wheel	1.178 - 1.195	2.184-2.196	1,000	12
10SD-1-CTH	10 x 2 1/4 x 7/8 CTH	10	2-1/4	7/8 CTH	Solid Centered Hub Wheel	.880 - .895	2.694-2.706	1,000	10
10SD-4-CTH	10 x 2 1/4 x 1 CTH	10	2-1/4	1 CTH	Solid Centered Hub Wheel	1.005 - 1.025	2.694-2.706	1,000	10
10SK-1	10 x 2 1/4 x 5/8 SH	10	2-1/4	5/8 SH	Spoke Off Set Hub Wheel Short Hub	.630 - .645	1.994-2.006	500	12
10SK-2	10 x 2 1/4 x 5/8 LH	10	2-1/4	5/8 LH	Spoke Off Set Hub Wheel Long Hub	.630 - .645	2.174-2.186	500	12
10SK-3	10 x 2 1/4 x 3/4 LH	10	2-1/4	3/4 LH	Spoke Off Set Hub Wheel Long Hub	.755 - .770	2.174-2.186	500	12
6156-LD	6 x 1 1/2 x 3/8	6	1-1/2	3/8	Light Duty Lawn & Garden Wheel	.380 - .395	1.290 - 1.320	35	168
8L-1	8 x 2 x 1/2	8	2	1/2	Spoke Lawn & Garden Wheel	.505 - .525	1.532-1.544	150	24
8L-1D	8 x 2 x 1/2	8	2	1/2 Drive Wheel	Spoke Lawn & Garden Drive Wheel	.505 - .525	1.532-1.544	150	24
10L-1	10 x 2 1/4 x 1/2	10	2-1/4	1/2	Spoke Lawn & Garden Wheel	.505 - .525	1.481-1.493	175	36
10L-1D	10 x 2 1/4 x 1/2	10	2-1/4	1/2 Drive Wheel	Spoke Lawn & Garden Drive Wheel	.505 - .525	1.481-1.493	175	36
12L-1	12 x 2 1/4 x 1/2	12	2-1/4	1/2	Spoke Lawn & Garden Wheel	.505 - .525	1.474-1.486	200	72
12L-1D	12 x 2 1/4 x 1/2	12	2-1/4	1/2 Drive Wheel	Spoke Lawn & Garden Drive Wheel	.505 - .525	1.474-1.486	200	72
8158-SD-1SA	8 x 1-5/8 x 5/8	8	1-5/8	5/8	Polyolefin Center with Santoprene Tread	.630 - .645	2.00	375	20
8158-SD-1UR	8 x 1-5/8 x 5/8	8	1-5/8	5/8	Polyolefin Center w/ Urethane Tread OSH	.630 - .645	2.00	375	20
82SD-2SA	8 x 2 x 5/8	8	2	5/8	Polyolefin Center w/ Santoprene Tread CTH	.630 - .645	2.170	500	17

82SD-2UR	8 x 2 x 5/8	8	2	5/8	Polyolefin Center with Urethane Tread CTH	.630 - .645	2.170	750	17
82SD-1SA	8 x 2 x 3/4	8	2	3/4	Polyolefin Center w/ Santoprene Tread CTH	.755 - .770	2.170	500	17
82SD-1UR	8 x 2 x 3/4	8	2	3/4	Polyolefin Center w/ Urethane Tread CTH	.755 - .770	2.170	750	17
82SD-3SA	8 x 2 x 1-3/16	8	2	1-3/16	Polyolefin Center w/ Santoprene Tread CTH Roller Bearing Bore	1.178 - 1.195	2.170	500	17
82SD-3UR	8 x 2 x 1-3/16	8	2	1-3/16	Polyolefin Center w/ Urethane Tread CTH Roller Bearing Bore	1.178 - 1.195	2.170	750	17
82SD-4SA	8 x 2 x 5/8	8	2	5/8	Polyolefin Center w/ Santoprene Tread OSH	.630 - .645	2.168	500	17
82SD-4UR	8 x 2 x 5/8	8	2	5/8	Polyolefin Center w/ Urethane Tread OSH	.630 - .645	2.168	750	17
82SD-5SA	8 x 2 x 3/4	8	2	3/4	Polyolefin Center w/ Santoprene Tread OSH	.755 - .770	2.168	500	17
82SD-5UR	8 x 2 x 3/4	8	2	3/4	Polyolefin Center w/ Urethane Tread OSH	.755 - .770	2.168	750	17
82SD-6SA	8 x 2 x 1-3/16	8	2	1-3/16	Polyolefin Center w/ Santoprene Tread OSH Roller Bearing Bore	1.178 - 1.195	2.168	500	17
82SD-6UR	8 x 2 x 1-3/16	8	2	1-3/16	Polyolefin Center w/ Urethane Tread OSH Roller Bearing Bore	1.178 - 1.195	2.168	750	17
82SK-4SA	8 x 2 x 5/8	8	2	5/8	Spoke Polyolefin Center w/ Santoprene Tread OSH	.630 - .645	2.168	250	17
82SK-4UR	8 x 2 x 5/8	8	2	5/8	Spoke Polyolefin Center w/ Urethane Tread OSH	.630 - .645	2.168	350	17
82SK-3SA	8 x 2 x 3/4	8	2	3/4	Spoke Polyolefin Center w/ Santoprene Tread OSH	.755 - .770	2.168	250	17
82SK-3UR	8 x 2 x 3/4	8	2	3/4	Spoke Polyolefin Center w/ Urethane Tread OSH	.755 - .770	2.168	350	17
82SK-2SA	8 x 2 x 5/8	8	2	5/8	Spoke Polyolefin Center w/ Santoprene Tread CTH	.630 - .645	2.170	250	17
82SK-2UR	8 x 2 x 5/8	8	2	5/8	Spoke Polyolefin Center w/ Urethane Tread CTH	.630 - .645	2.170	350	17
82SK-1SA	8 x 2 x 3/4	8	2	3/4	Spoke Polyolefin Center w/ Santoprene Tread CTH	.755 - .770	2.170	250	17
82SK-1UR	8 x 2 x 3/4	8	2	3/4	Spoke Polyolefin Center w/ Urethane Tread CTH	.755 - .770	2.170	350	17
10SK-SA-GT-1	10 x 2-1/4 x 5/8 OSH	10	2-1/4	5/8	Spoke Polyolefin Center w/ Santoprene Gear Tread OSH	.630 - .645	2.180	250	12
10SD-3SA	10 x 2-1/4 x 5/8 OSH	10	2-1/4	5/8	Sold Polyolefin Center w/ Santoprene Tread OSH	.630 - .645	2.190	750	12
10SD-3UR	10 x 2-1/4 x 5/8 OSH	10	2-1/4	5/8	Polyolefin Center w/ Urethane Tread OSH	.630 - .645	2.190	1000	12
10SD-2SA	10 x 2-1/4 x 3/4 OSH	10	2-1/4	3/4	Polyolefin Center w/ Santoprene Tread OSH	.755 - .770	2.190	750	12
10SD-2UR	10 x 2-1/4 x 3/4 OSH	10	2-1/4	3/4	Polyolefin Center w/ Urethane Tread OSH	.755 - .770	2.190	1000	12

10SD-4SA	10 x 2-1/4 x 1 OSH	10	2-1/4	1	Polyolefin Center w/ Santoprene Tread OSH	1.005 - 1.025	2.190	750	12
10SD-4UR	10 x 2-1/4 x 1 OSH	10	2-1/4	1	Polyolefin Center w/ Urethane Tread OSH	1.005 - 1.025	2.190	1000	12
10SK-2SA	10 x 2-1/4 x 5/8 OSH	10	2-1/4	5/8	Spoke Polyolefin Center w/ Santoprene Tread OSH	.630 - .645	2.168	250	12
10SK-2UR	10 x 2-1/4 x 5/8 OSH	10	2-1/4	5/8	Spoke Polyolefin Center w/ Urethane Tread OSH	.630 - .645	2.168	350	12
10SK-3SA	10 x 2-1/4 x 3/4 OSH	10	2-1/4	3/4	Spoke Polyolefin Center w/ Santoprene Tread OSH	.755 - .770	2.168	250	12
10SK-3UR	10 x 2-1/4 x 3/4 OSH	10	2-1/4	3/4	Spoke Polyolefin Center w/ Urethane Tread OSH	.755 - .770	2.168	350	12